

2611
~~2711~~ #6
PATENT
OFFICE

In re U.S. Patent Application of:

Kenneth J. Myers

Serial Number: 09/538,731

Filed: March 30, 2000

Group Art Unit: Unknown

Examiner: Unassigned

For: Split Image Stereoscopic System And Method

PRELIMINARY AMENDMENT BEFORE EXAMINATION

Honorable Assistant Commissioner For Patents
Washington, D.C. 20231

RECEIVED

DEC 05 2000

Technology Center 2600

Sir:

Before examination, kindly amend the application in accordance with the following particulars:

IN THE DRAWINGS:

Please amend Figs. 2, 4, 5, and 6 to reverse the position of the grooves on elements 1 and 23, as marked in red on the copies of Figs. 2, 4, 5, and 6, attached hereto for examination.

REMARKS

Due to a drafting error, the grooves on micoprism sheet 1 were depicted as facing the image source rather than as facing away from the image source. The above amendments correct this obvious error.

Respectfully submitted,
BACON & THOMAS, PLLC

Date: November 29, 2000

By: BENJAMIN E. URCIA
Registration No. 33,805

BACON & THOMAS, PLLC
625 Slaters Lane, 4th Floor
Alexandria, Virginia 22314
Telephone: (703) 683-0500